


PassSureExam



Try Before You Buy









Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

Select a vendor... Select an exam...

Your email address **Free Download**

PassSure Exam Questions & Answers
100% Guarantee to Pass Exam

 <p>QUALITY AND VALUE</p> <p>VCEPrep Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.</p>	 <p>TESTED AND APPROVED</p> <p>We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.</p>	 <p>EASY TO PASS</p> <p>If you prepare for the exams using our VCEPrep testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.</p>	 <p>TRY BEFORE BUY</p> <p>VCEPrep offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.</p>
 <p>HAPPY CUSTOMERS</p> <p>68263</p>	 <p>DOWNLOADS</p> <p>68263</p>	 <p>TEAM MEMBERS</p> <p>68263</p>	 <p>SHARES</p> <p>68263</p>

<http://www.passsureexam.com>

Best Exam Questions & Valid Exam Torrent & Pass for Sure

Exam : **JN0-361**

Title : Service Provider Routing and Switching, Specialist Exam

Vendor : Juniper

Version : DEMO

NO.1 Click the Exhibit.

```
user@router> show ospf neighbor
```

Address	Interface	State	ID	Pri	Dead
172.25.0.1	ge-0/0/1.0	Full	1.1.1.1	255	37
172.25.0.2	ge-0/0/1.0	Full	1.1.1.2	254	35
172.25.0.3	ge-0/0/1.0	2Way	1.1.1.3	128	34

Referring to the exhibit, what is the correct OSPF interface state for the ge-0/0/1 interface?

- A. DRother
- B. BDR
- C. DR
- D. Down

Answer: C

NO.2 What is a valid OSPFv3 router ID?

- A. 0.0.0.0
- B. 192.168.1.1
- C. 2001::1:2
- D. 2001::192.168.1.1

Answer: B

NO.3 Click the Exhibit.


```
[edit routing-options static]
user@router# show
route 0.0.0.0/0 next-hop 10.0.1.1;
route 192.168.5.0/24 next-hop 172.16.1.2;
```

Referring to the configuration in the exhibit, which two statements are true? (Choose two.)

- A. The next-hop 172.16.1.2 must be part of an active route in route table inet.0 for route 192.168.5.0/24 to be active.
- B. The next-hop 172.16.1.2 must be directly connected to the router for route 192.168.5.0/24 to be active
- C. The next-hop 172.16.1.2 must be active in route table inet.3 for the route 192.168.5.0/24 to be active.
- D. The next-hop 172.16.1.2 must respond to ping commands for the route 192.168.5.0/24 to be active.

Answer: A,B

NO.4 Click the Exhibit.



```
[edit]
```

```
user@R1# run show ospf neighbor
```

Address	Interface	State	ID	Pri	Dead
172.16.1.2	ge-0/0/0.0	Full	10.0.1.12	128	33
172.16.2.2	ge-0/0/1.0	Full	10.0.1.13	128	35

```
[edit]
```

```
user@R1# show protocols ospf
```

```
area 0.0.0.0 {  
    interface ge-0/0/0.0;  
}  
area 0.0.0.1 {  
    stub no-summaries;  
    interface ge-0/0/1.0;  
}
```

You are using OSPF as your IGP in your network. You have applied the OSPF configuration shown in the exhibit to router R1.

Which statement is true in this scenario?

- A. Router R1 will send a default route to router R2.
- B. Router R1 must be configured as a stub area for Area 0.0.0.0.
- C. Router R2 will not have a route to subnet 172.16.4.0/24.
- D. Router R3 will not have a route to subnet 172.16.3.0/24.

Answer: D

NO.5 Click the Exhibit.

```

Exhibit
[edit]
user@router# run monitor traffic interface ge-0/3/3.0 no-resolve detail
Address resolution is OFF.
Listening on ge-0/3/3.0, capture size 1514 bytes

13:51:36.346291 In IS-IS, length 70
  L2 Lan IIH, hlen: 27, v: 1, pdu-v: 1, sys-id-len: 6 (0), max-area: 3 (0)
  source-id: 0250.0000.0046, holding time: 27s, Flags: [Level 1, Level 2]
  lan-id: 0250.0000.0046.00, Priority: 64, PDU length: 70
  Protocols supported TLV #129, length: 2
  NLPID(s): IPv4 (0xcc), IPv6 (0x8e)
  IPv4 Interface address(es) TLV #132, length: 4
  IPv4 interface address: 10.250.3.3
  IPv6 Interface address(es) TLV #232, length: 16
  IPv6 interface address: fe80::8271:1fff:fec4:a9ae
  Area address(es) TLV #1, length: 8
  Area address (length: 7): 49.0001.3414.0010
  Restart Signaling TLV #211, length: 3
  Flags [none], Remaining holding time 0s
13:51:40.346291 Out IS-IS, length 70
  p2p IIH, hlen: 20, v: 1, pdu-v: 1, sys-id-len: 6 (0), max-area: 3 (0)
  source-id: 0250.0000.0045, holding time: 27s, Flags: [Level 2 only]
  circuit-id: 0x01, PDU length: 70
  Point-to-point Adjacency State TLV #240, length: 5
  Adjacency State: Down (2)
  Neighbor Extended Local circuit-ID: 0x0afa0302
  Protocols supported TLV #129, length: 2
  NLPID(s): IPv4 (0xcc), IPv6 (0x8e)
  IPv4 Interface address(es) TLV #132, length: 4
  IPv4 interface address: 10.250.3.2
  IPv6 Interface address(es) TLV #232, length: 16
  IPv6 interface address: fe80::2ac0:daff:fe6a:c8f9
  Area address(es) TLV #1, length: 8
  Area address (length: 7): 49.0001.3414.0010
  Restart Signaling TLV #211, length: 3
  Flags [none], Remaining holding time 0s
^C
2 packets received by filter
0 packets dropped by kernel

```

You have just configured IS-IS, but the adjacency is not coming up.

Referring to the exhibit, what is the cause?

- A. Only one side is configured using the point-to-point parameter.
- B. The routers must be in different areas.
- C. One router is configured for Level 2 only.
- D. The family iso parameter is missing on the interfaces.

Answer: A

NO.6 Which statement is true about GRE encapsulation?

- A. The entire frame is encapsulated by GRE.
- B. The entire packet is encapsulated by GRE.
- C. Only the IP header is encapsulated by GRE.
- D. Only the IP payload is encapsulated by GRE.

Answer: B